Treatment Protocols *Drowning/Near Drowning – Pediatric*

Pediatric BLS Standing Orders

- Universal Patient Protocol
- Ensure patent airway, suction PRN
- Intervene PRN per Airway Policy
- Spinal motion restriction PRN per Spinal Motion Restriction Policy
- Monitor O2 saturation, aggressively treat hypoxia or increased WOB
- Give oxygen and/or ventilate PRN
- Keep patient warm
- All patients should be evaluated in the hospital, **BHP**
- Blood glucose PRN
- Refer to Poisoning and Trauma Policies as needed
- End tidal capnography

Pediatric LALS Standing Orders

• Establish IV PRN

Wheezing

- Albuterol per dosing chart via nebulizer MR x1 BH
- Hypotension
 - Follow Shock Protocol

Pediatric ALS Standing Orders

- Monitor EKG
- IV/IO PRN
- Capnography

Refer to Airway Policy

Wheezing

• Albuterol – per dosing chart via nebulizer MR x1

Hypotension

- 10-20 mL/kg NS IV bolus; titrated to age-appropriate systolic BP MR x1
- Use Shock Protocol for persistent hypotension

Nausea and/or Vomiting

• Ondansetron 0.1 mg/kg, max 4 mg - IV/IO/IM/ODT PRN MR x1

Pediatric Base Hospital Orders

- **BH** Repeat albuterol weight based nebulized
- **BH** Repeat NS bolus IV/IO PRN hypotension

Treatment Protocols <u>Drowning/Near Drowning – Pediatric</u>

Notes:

• **BHP** - All patients should be evaluated in the hospital. Consult with BHP if requested for AMA.

APPROVED:

Signature on File Katherine Staats, M.D. FACEP EMS Medical Director