

I. Purpose: Identify a minimum standardized inventory on all BLS, LALS and ALS units.

II. Policy:

A. Each ambulance and first responder unit shall be equipped with the following functional equipment and supplies. This list represents mandatory items with minimum quantities excluding narcotics, which must be kept within the range indicated. All expiration dates must be current. All packaging of drugs or equipment must be intact. No open products or torn packages may be used.

B. In addition to this inventory list, all transport ambulances shall be stocked in compliance with California Code of Regulations, Title 13, Division 2, Chapter 5, Sections 1103 and 1103.2.

C. First responder agencies that operate primarily in austere environments may submit a modified minimum inventory list to the Imperial County EMS Agency for approval.

General Equipment	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Ankle and wrist restraints	2 sets			2 sets	
Linens (sheets, pillow, blanket, towels)	2 sets			2 sets	
PPE (Masks, Gowns, Shields)	2/Personnel	2/Personnel	2/Personnel	2/Personnel	2/Personnel
Oxygen Cylinder with wall outlet (H or M)	1			1	
Oxygen Cylinder - portable (D or E)	2	2	2	2	2
Emesis Basin or disposable bags	1	1	1	1	1
Covered waste container	1			1	
Portable suction equipment	1	1	1	1	1
Fixed suction equipment	1			1	
Bedpan/Fracture pan	1			1	
Urinal	1			1	
Sharps Container-Portable(OSHA Approved)	1	1	1	1	1
Sharps Container-Fixed (OSHA Approved)	1			1	
RCS 800 MHz Radio - portable	1	1	1	1	1
RCS 800 MHz Radio - mobile	1	1	1	1	1
Agency Radio (if different from RCS 800 MHz)	1	1	1	1	1
Airway Equipment	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Oralpharyngeal Airways sizes	2 each	2 each	2 each	2 each	2 each
Bag-valve-mask (adult)	2 each	2 each	2 each	2 each	2 each
Bag-valve-mask (child, infant, neonate)	1 each	1 each	1 each	1 each	1 each
Nasal Airways (assorted sizes)	1 set	1 set	1 set	1 set	1 set
Suction Catheter - Tonsil Tip (yankaeur)	3	2	2	3	2
Suction Catheter - Soft Tip (12, 14, 18 Fr.)	1 each	1 each	1 each	1 each	1 each
Endotracheal Tubes: Sizes: 6.0, 6.5, 7, 7.5, 8				2 each	2 each
Laryngoscope - handle				2 each	2 each
Laryngoscope Blade: Mac & Miller, sizes 3-4				2 each	2 each
Magill Forceps - adult				1	1
Oxygen Powered Nebulizer			2	2	2
ETT Securement Device				1	1

Airway Equipment cont.	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Stylet (adult)				2	2
Esophageal detector device (bulb/toomey)	EMT-OS only 1 each	EMT-OS only 1 each	1	1	1
Perilaryngeal Airway Device (King LTD) Size 3, Size 4, Size 5	EMT-OS only 1 each	EMT-OS only 1 each	1 each	1 each	1 each
CPAP Equipment - sizes S, M, L				1 each	1 each
Oxygen administration mask - adult	4	2	2	4	2
Oxygen administration mask - pediatric	2	1	1	2	1
Oxygen administration mask - infant	1	1	1	1	1
Nasal Cannula (adult)	4	2	2	4	2
Water Soluble Lubricant	2	2	2	2	2
Dressing Materials/Other Supplies	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
4" sterile bandage compress	12	6	6	12	6
4x4" gauze pads, non-sterile	12	6	6	12	6
2", 3", 4" or 6" roller bandages	6	3	3	6	3
1", 2" or 3" adhesive tape	2 rolls	2 rolls	2 rolls	2 rolls	2 rolls
Bandage Shears	1	1	1	1	1
10" x 30" or larger universal dressing	2	1	1	2	1
Spinal immobilization device with straps/tape	2	2	2	2	2
Cervical Collar, rigid - adult	3	3	3	3	3
Cervical Collar, rigid - pediatric	2	2	2	2	2
Traction Splint - adult	1	1	1	1	1
Traction Splint - pediatric	1	1	1	1	1
Tourniquet - County Approved Type	2	2	2	2	2
Obstetrical Kit	1	1	1	1	1
Disposable gloves - sterile	4 pair	2 pair	2 pair	4 pair	2 pair
Cold Pack	2	2	2	2	2
Warming packs (not to exceed 110°F)	2	2	2	2	2
Monitoring Equipment	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
*Blood pressure cuff - adult, thigh, pediatric	1 each	1 each	1 each	1 each	1 each
Stethoscope	1	1	1	1	1
Monitor/Defibrillator Combination (12 Lead Capable)				1	1
Defibrillator Pads or Conductive Gel				1 tube/2 pkgs	1 tube 2 pkgs
Electrodes				36	36
Electrode wires				2 sets	1 set
External pacing cables				1	1
End tidal CO2 monitor				1	1
End tidal CO2 nasal/oral prong & ETT Adapter				2 each	1 each
Pulseoximeter with adult & pediatric probe	1	1	1	1	1
Automated External Defibrillator	1	1	1		

*If automatic blood pressure cuffs are used, a minimum of one (1) manual adult blood pressure cuff is required

Replaceable Medications	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Adenosine				30 mg	30 mg
Albuterol 2.5 mg/3 mL			4	4	4
Aspirin, chewable, 81 mg			1 bottle	1 bottle	1 bottle
Atropine Sulfate, 1 mg/10 mL preload				4	2
Atropine Sulfate, miltidose 0.4 mg/mL				1	1
Calcium Chloride 10% 1 Gm/10 mL				1	1
Charcoal activated, 50 gm				1	1
Dextrose, 50%, 25 gm/50 mL			2	2	2
Dopamine HCL, 400 mg				1	1
Diphenhydramine HCL, 50 mg/2 mL				2	2
Epinephrine, 1:1,000 (multidose vial)				1	1
Epinephrine, 1:1,000 (1 mg/mL ampule)			4	4	4
Epinephrine, 1:10,000 (1 mg/10 mL preload)				6	6
Glucagon, 1 mL (1 unit)			1	1	1
Glucose Paste 15g Tube	1	1	1	1	1
Lidocaine HCL, 100 mg/5 mL (2%)				3	3
Midazolam 1 mg/mL & 5 mg/mL**				10-20 mg	10-20 mg
Morphine Sulfate 10 mg/mL				20-40 mg	20-40 mg
Naloxone, 2 mg/mL			2	4	2
Nitroglycerine - Spray 0.4 mg metered dose and/or tablets (tablets to be discarded 90 days after opening)			1 bottle	1 bottle	1 bottle
Normal Saline for injection (10 mL)			2	2	2
Normal Saline IV Solution, 250 mL			2	4	2
Normal Saline IV Solution, 1000 mL			4	6	4
Ondansetron (Zofran) 4 mg/2 mL				2	2
Ondansetron (Zofran) PO/ODT 4mg				4	2
Verapamil HCL, 5 mg/2 mL				2	2
Vascular Access/Medication Administration	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Armboard - Long			2	2	2
Armboard - Short			2	2	2
Blood Glucose Monitor			1	1	1
IV Administration Set - Macro drip			2 each	4 each	2 each
IV Administration Set - Micro drip			4 each	6 each	4 each
IV Tourniquets			4	4	4
IV Cannulas (Gauges - 14, 16, 18, 20, 22, 24)			4 each	4 each	4 each
IM - 21 Gauge x 1"			4	4	4
SC - 25 Gauge x 3/8"			4	4	4
Saline Lock			2	4	2
Syringes: 1mL, 3mL, 5mL, 10mL, 20mL			2 each	2 each	2 each
Mucosal Atomization Device			2	3	2

**10-20 mg must be a combination of both concentrations

Intraosseous Access	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
IO Power Driver (EZ-IO)				1	1
EZ-IOPD needle 15mm (3-39kg)				2	2
EZ-IOAD needle 25mm (40 kg and greater)				2	2
EZ-IO needle 45mm (40kg and greater)				2	2
Intraosseous needle securing device				2	2
IO - Jamshidi needle - 18g				1	1
IO- Jamshidi needle 15g				1	1
Pediatric Inventory	BLS Transport	BLS Non-Transport	LALS Non-Transport	ALS Transport	ALS Non-Transport
Laryngoscope Blades - Mac & Miller size 0, 1, 2				1	1
Magill Forcep - small				1	1
Oral airways sizes 0-5	1 each	1 each	1 each	1 each	1 each
Suction Catheters sizes, 5, 6, 8, 10 Fr.	1 each	1 each	1 each	1 each	1 each
Length Based Resuscitation tape or equivalent				1	1
Pediatric Drug Guide (Laminated)			1	1	1
Volutrol				Optional	Optional

*Prehospital provider agencies shall attempt, when possible, to use patient equipment that minimizes exposure to latex containing products. Barrier protection is acceptable. Prehospital staff should minimize their own exposure to latex products at all times. Staff shall be knowledgeable in procedures to use latex-containing products in a latex-safe manner. Such methods include

1. Barrier protection measures (example - for stethoscope). If barrier protection is used, materials should be easily available to implement the barrier:
2. Procedures to remove or cover latex-containing parts (such as caps on multi-dose vials).

APPROVED

Bruce Haynes, M.D.

EMS Medical Director